



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re U.S. Patent Application of )

HARADA et al. )

Serial Number: 10/687,614 )

Art Unit 1753

Filed: October 20, 2003 )

For: REMOVAL METHOD FOR COATING OF  
POLYMER COATED GLASS CAPILLARY  
TUBING AND POLYMER COATED GLASS  
CAPILLARY TUBING )

Examiner Surekha Vathyam

Attorney Docket No. HIRA.0125 )

Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**PETITION FOR EXTENSION OF TIME**

Sir:

Applicants request that the time for taking action in this case be extended pursuant to 37 C.F.R. § 1.136(a) for **two (2) months**. The fee set in 37 C.F.R. § 1.17 for the extension of time is \$460.00.

Please charge any additional fee required for this extension of time to Deposit Account 08-1480. A duplicate copy of this paper is enclosed.

Also filed is a *Request for Continued Examination and an Response/ Preliminary Amendment*.

Respectfully submitted,

11/01/2007 SSITHIB1 00000022 10687614

02 FC:1252

460.00 OP

Stanley P. Fisher

Registration Number 24,344

Juan Carlos A. Marquez

Registration Number 34,072

**REED SMITH LLP**

3110 Fairview Park Drive

Suite 1400

Falls Church, Virginia 22042

(703) 641-4200

October 31, 2007